



GLAS TRADITIONAL FARM BUILDINGS GRANT SCHEME



Only open to GLAS farmers

Managed by the Heritage Council on behalf of the
Department of Agriculture, Food & the Marine



Buildings in the landscape



Role of Conservation Consultant





Conservation Specification Minimum Intervention





Eligible Works



Works to the exterior of farm buildings
Only certain internal works – where necessary to ensure structural stability
Works to other related farm structures



Financial Considerations



Approximately 50-70 grants per annum of
between €4,000 and up to €25,000

Up to 75% grant



Department of Agriculture conditions

- Only open to GLAS farmers
- LEADER funding cannot be used in tandem
- Must be retained in agricultural use
- Follow up Inspections



Heritage Council grant conditions



Wildlife Survey



What I could do.
I could mend nets. Thatch a roof. Build stairs. Make a basket from reeds. Splint the leg of a cow. Cut turf. Build a wall. Go three rounds with Joe in the ring. Da put up in the barn. I could dance sets. Read the sky. Make a barrel for mackerel. Mend roads. Make a boat. Stuff a saddle. Put a wheel on a cart. Strike a deal. Make a field. Work the swarth turner, the float and the thresher. I could read the sea. Shoot straight. Make a shoe. Shear sheep. Remember poems. Set potatoes. Plough and harrow. Read the wind. Tend bees. Bind wyndes. Make a coffin. Take a drink. I could frighten you with stories. I knew the song to sing to a cow when milking. I could play twenty-seven tunes on my accordion.





Farmer carrying out own works

- Advice
- Ability
- Training
- Certification



Training on and off farm





**Farmer &
builder**





Skills





Health & Safety!



Public Benefit





Interim Inspection





Cast iron rooflight units being re painted



Rooflight being cleaned down



Reinstated rooflights



New slating graded to match original



Hip at east end during re slating



Lead roll hip detail from shed B to be used as model for shed A



'Deanta in Eireann' imprinted on rooflight



Taking a pencil rubbing of embossed ridge tile name



Browne Champion & Osbridgewatr ????



Existing light weight rafters predominately retained with new 3"x2" battens screwed to topside to improve rigidity and framing.



Existing rooflight opening being prepared for reinstatement of rooflight frame



Completed rooflight in-situ

Progress Report

Final Report



Final Inspection



Thank you. Anna Meenan, Project Manager ameenan@heritagecouncil.ie